

50' Convertible Specifications

viking		— YACHT COMPANY — NEW GRETN, NEW JERSEY			
TITLE VIKING 50' CONVERTIBLE					
SCALE	N/A	CAD	ENG	CHK	APP
DATE	8/11-1/3/12	DPC No.			REV



50' Convertible

Length, overall (L.O.A.)

50' 6" (15.39 meters)

Length, overall (including bow pulpit)

54' 8" (16.66 meters)

Length, waterline (L.W.L.)

43' 8" (13.32 meters)

Beam, overall (B.O.A.)

17' 0" (5.18 meters)

Deadrise (at transom)

12.8°

Draft (X)

4' 10" (1.47 meters)

Freeboard, forward (X)

5' 11" (1.80 meters)

Freeboard, aft (X)

2' 11" (.89 meters)

Height, waterline to top of:

flying bridge hardtop (X)

16' 7" (5.05 meters)

flying bridge hardtop masthead

light (X)

18' 4" (5.57 meters)

flying bridge console (X)

13' 10" (4.22 meters)

Displacement (standard fuel load) (D) (X)

66,500 pounds (30,164 kilograms)

Fuel capacity standard (B)

1,000 gallons (3,785 liters)

Fuel capacity optional (B)

1,200 gallons (4,541 liters)

Water capacity (B)

175 gallons (662 liters)

Holding tank capacity (B)

54 gallons (204 liters)

Cockpit area

132 square feet (12.263 square meters)

CONSTRUCTION

- Ablative/Copolymer anti-fouling bottom paint, 2 coats, primed
- Awlgrip brass thru hulls in engine room and forward bilge
- Awlgrip engine room, lazarette, forward bilge and anchor locker for enhanced visibility and easier maintenance
- Blister resistant modified epoxy resin in entire hull skin
- Custom blended polyester resin used in structural laminates, top-sides, bridges, and hardtops
- Dockside and overboard pump outs for holding tank
- Dupont high gloss polyurethane boot stripe
- Fiberglass side thru-hulls
- Hatches, three (3) Bomar, fore-deck hatches, with Ocean Air screen shade system
- High-gloss teak interior finish throughout
- High performance isophthalic gelcoat npg superior gloss, flexibility and outstanding weathering characteristics
- Hull interior, isophthalic gelcoat top-coated with a durable high gloss polyurethane coating
- Infused fiberglass fuel, fresh water and holding tanks with fiberglass baffles inside and balsa coring on sides for stiffness, sealed to the hull with resin foam
- Laminated end-grain balsa core in hull sides and top-sides
- Molded fiberglass salon floor/engine room ceiling with Divinycell core for acoustical and thermal insulation
- Nonskid molded in for traction and durability
- Prop pockets to reduce draft
- Solid reinforced keel
- Stringers, fiberglass encapsulated foam
- Hull bottom-vacuum bagged end grain balsa core sandwiched with fiberglass laminates
- Transducer location molded into keel
- Vacuum bagged composite bulkheads - Main engine room bulkhead, intermediate engine room bulkheads, and forward bulkhead

MECHANICAL

- Air Conditioning – direct expansion zoned with reverse cycle heat for complete climate control throughout the interior and with individual temperature controls for staterooms and salon
- All pumps in engine room Awlgrip white (excluding fresh water pump)
- Bilge pumps with additional clean out pumps in keel area linked into monitoring system and connected to float switches for automatic and manual operation
- Centralized sea-water system
- DC power assist hydraulic steering

FLYING BRIDGE

- Bridge installed without exposed fasteners
- Connection lug for single side band grounding
- Controls: Top-mounted single lever electronic controls with station select and keypad
- Electronics box lids drilled and tapped for gas pistons instead of thru bolts
- Electronic trolling valves
- Extended overhang for extra room to move around behind helm and companion seats with anodized aluminum aft railing
- Fire system control with automatic and manual discharge and override system located at console
- Fresh water outlet
- Fuel gauge located in cabinet at console
- Furuno RD-30 depth finder / sea temperature gauge
- Handrail, powder-coated aluminum effectively positioned above ladder to bridge and at helm
- Helm seat, companion seat, Murray Product, teak, ladder back with 4" pedestals and removable cushions and covers, adjustable
- Instrumentation based on standard engine package, lighted with switches in radio box
- Lighted compass, flush-mounted on centerline
- Lounge seating forward
- Insulated storage box port, outboard with optional refrigeration for freezer, lounge seating to starboard both with vinyl covered foam cushions, hinged for access to storage underneath
- Manual engine shutdown switches at cabinet in console
- Moritz safety monitoring system with audible and visible alarms: fire, engine room temperature, high bilge water, high exhaust temperature, high coolant temperature, low oil pressure, and generator as well as confirming correct system operation
- Nonskid deck molded for traction and durability
- Recessed radio box to port with switch panel inside and recessed radio box on starboard side of console
- Recessed electronics boxes in console for custom electronics package that is easily viewable and protected from the elements by acrylic fitted lids with gaskets and stainless steel gas pistons and push knob catches
- Removable backrest for jump seat
- Starboard jump seat facing aft, hinged for access to bucket storage beneath at aft end of starboard lounge
- Stereo speakers, tied into stereo system in salon, flush-mounted to aft ends of bridge with volume control in radio box
- Trim tab control switch mounted at console
- Trumpet style air horns, (2)

GALLEY/DINETTE

- Bar stools, no backs
- Dinette table, teak, high-gloss finish with single pedestal, thru-bolts
- Electrical sub-panel for galley appliances
- Electric range, 3-burner, recessed in countertop with Corian lids and automatic shut off switch when lids are in place
- Exhaust fan, high velocity
- Galley countertop, high-gloss bone-color Corian
- Galley, free standing galley island with storage. Corian countertop with overhang and (2) bar stools.
- Garbage disposal in sink
- Louvered mini blinds
- Lights, overhead Xenon lights and LED lighting
- Majilite headliner, natural color, 1/8" foam & tricot backing
- Microwave/convection oven located in upper galley cabinet above sink
- Refrigerator and freezer, large capacity, deep-drawer under-counter style with varnished teak faces.
- Sink, bone-color Corian recessed in countertop with biscuit galley faucet
- Storage cabinets in upper galley, varnished teak doors with deep, pull-out drawers with aircraft style slides for smooth movement and latches to keep drawers in place while underway
- Storage cabinets and drawers in lower galley, varnished teak doors and faces with stowage for stove lids, utensils, and other items
- Vinyl Amtico Flooring
- Water tank level gauge and pump indicator located in galley sub-panel

COMPANIONWAY

- Awlgrip bilge areas with access hatches, snow white and lighted for easier maintenance and cleaning
- Carpeting, carpeted steps from galley to companionway
- Central vacuum unit connection with accessories
- Lighting, overhead Xenon lights recessed in headliner
- Majilite headliner, natural color, 1/8" foam & tricot backing
- Wall panels, natural color Majilite headliner individually installed with Velcro backing for easy maintenance

MASTER STATEROOM (MIDSHIP)

- Air conditioning with reverse cycle heat with temperature control
- Bedspread – quilted, designer style
- Carpeting
- Drawer storage under bed, (2) large drawers
- End tables on either side of bed with drawer and door storage



50' Convertible

NOTES:

This specification sheet is subject to change.

- A** The right is reserved to make changes, without notice, at any time, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B** Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C** These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D** Weight shown is calculated with standard fuel and water tanks full.
- E** Prices available through Dealer.
- H** Includes credit for standard.
- J** Must be ordered 90 days prior to start date.
- K** Requires F/B hardtop.
- N** Includes life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil, deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), boat soap (1 qt.) and bilge cleaner (1 qt.)
- R** Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.
- S** In order to offer the full range of decor, selections are required with initial order.
- V** Includes 24V lighting and cockpit flood lighting.
- X** Measured with largest engines available, standard fuel, and water.

OPTIONAL EQUIPMENT (A) (C) (S)

STANDARD POWER: MAN V10 1100CRM:1100MHP

SATIN INTERIOR FINISH THROUGHOUT N/C

*Standard finish will be high-gloss, teak (J)

COCKPIT

Livewell in cockpit sole	1,930
Outriggers, Rupp w/spreaders	8,760
Refrigerated step box	2,045
Swim platform & ladder	5,145
Transom custom lettering	POR
Transom standard lettering	1,120
Transom fish box molded-in	2,920

DECK/EXTERIOR

Bows pulpit removal	3,475
Bow thruster DC	14,850
Custom hull color	13,350
Davit, (1,100 lbs.)	31,670
Fender racks	1,090
Salon forward window mask	13,480
Windlass, Lewmar V2 SS w/50' chain, 250' rope	7,200

DECOR(S)

Custom decor (H)	POR
Decor accessory kit	8,025
Decor galley accessory kit	845
Mirror ceiling in heads, each	3,060
Wallcovering, custom (J)	POR

OPEN FLYING BRIDGE

4 Sided enclosure (K)	10,710
(6) Rod rocket launcher (K)	1,150
Air conditioning	12,925
Center Rigger (K)	1,125
Custom helm pod w/stainless steel wheel	4,260
Electronic single lever controls for pod	2,425
Hardtop w/ molded in quartz lights (V)	32,255
Costa Clear (K)	POR
Radar mast single (K)	10,875

Lights, Remote spotlight (K)	2,015
Release Teak Helm Pod	5,775
Top loading refrigerated drink box	3,170

SALON

Bose LS48	3,325
Carpet runner full	1,150
Carpet runner partial	685
Carpet runner – companionway and steps	935

MASTER STATEROOM

Electronic safe under bed	2,710
Stereo/ CD player, (12V)	895
Telephone (additional outlet) each	380

GUEST STATEROOM - FORWARD

Stereo/CD player, (12V)	895
Telephone (additional outlet) each	380
Television 19" flat screen	1,665

GUEST STATEROOM - PORT

Stereo/CD player (12V)	895
Telephone (additional outlet) each	380
Television (additional outlet) each	515
Television 19" flat screen	1,665

DELIVERY

Propellers, spare and removal/installation tool	29,050
---	--------

ENGINE ROOM

Eskimo ice machine	NET 14,845
Optional fuel tank	6,095
Water maker, 700 GPD w/auto backflush and flybridge control panel	16,585

OPTIONAL POWER

CAT C18 1150 MHP:1150MHP	POR
MAN V8 1200CRM:1200MHP	POR
MAN V12 1360CRM:1360MHP	POR




50' Convertible

VIKING YACHTS ONE YEAR LIMITED WARRANTY

Viking provides a 12 month limited warranty to the original purchaser. Certain restrictions apply. Ask your dealer for a copy.



Open Bridge



Standard Layout

Route 9 "On the Bass River"
P.O. Box 308
New Gretna, NJ 08224

(609) 296-6000
(609) 296-3956 Fax

www.VikingYachts.com