



## 60' Convertible Specifications

<b>viking</b>		— YACHT COMPANY — NEW GRENA, NEW JERSEY			
TITLE VIKING 60' CONVERTIBLE					
SCALE	N/A	CAD	ENG	CKD	APB
DATE 8/11/2012	DRG No.				REV



## 60' Convertible

### Length, overall (L.O.A.)

60' 8" (18.49 meters)

### Length, overall (including bow pulpit)

64' 10" (19.76 meters)

### Length, waterline (L.W.L.)

52' 7" (16.03 meters)

### Beam, overall (B.O.A.)

18' 9" (5.72 meters)

### Deadrise (at transom)

12°

### Draft

5' 1" (1.55 meters)

### Freeboard, forward (X)

7' 2" (2.18 meters)

### Freeboard, aft (X)

2' 10" (0.86 meters)

### Height, waterline to top of:

#### flying bridge hardtop (X)

17' 7" (5.36 meters)

#### flying bridge hardtop masthead light (X)

20' 7" (6.27 meters)

#### flying bridge console (X)

14' 5" (4.39 meters)

### Displacement (standard fuel load) (D) (X)

91,300 pounds (41,413 kilograms)

### Fuel capacity standard (B)

1,620 gallons (6,132 liters)

### Fuel capacity optional (B)

1,920 gallons (7,268 liters)

### Water capacity (B)

300 gallons (1,136 liters)

### Holding tank capacity (B)

135 gallons (511 liters)

### Cockpit area

170 square feet (15.8 square meters)

## CONSTRUCTION

- Ablative / Copolymer anti-fouling bottom paint, 2 coats, primed
- Awlgrip brass thru hulls in engine room and forward bilge
- Awlgrip engine room, lazarette, forward bilge and anchor locker for enhanced visibility and easier maintenance
- Blister resistant modified epoxy resin in entire hull skin
- Custom blended polyester resin used in structural laminates, topsides, bridges, and hardtops
- Dockside and overboard pump outs for holding tank
- Dupont high gloss polyurethane boot stripe
- Fiberglass side thru-hulls
- Hatches, three (3) Bomar, fore-deck hatches, with Ocean Air screen shade system
- High-gloss, teak interior finish throughout
- High performance isophthalic gelcoat npg superior gloss, flexibility and outstanding weathering characteristics
- Hull bottom – vacuum bagged end-grain balsa core sandwiched with fiberglass laminates
- Hull interior, isophthalic gelcoat top-coated with a durable high gloss polyurethane coating
- Infused fiberglass fuel and holding tanks, with fiberglass baffles inside and balsa coring on sides for stiffness, sealed to hull with resin foam
- Laminated end-grain balsa core in hull sides and topsides
- Molded fiberglass salon floor/engine room ceiling with foam core for acoustical and thermal insulation
- Propeller pockets to reduce draft
- Solid reinforced keel
- Stringers, fiberglass encapsulated foam
- Transducer location molded into keel
- Vacuum bagged composite bulkheads – Main engine room bulkhead, intermediate engine room bulkheads, and forward bulkhead

## MECHANICAL

- Air conditioning –direct expansion zoned with reverse cycle heat for complete climate control throughout the interior and with individual temperature controls for staterooms and salon
- Centralized sea-water system
- Customize air conditioning sea water supply/discharge manifolds to allow for individual compressor maintenance and fresh water flushing
- "Delta T" engine room ventilation system with thermostatic controlled supply and discharge fans for proper fresh air supply and water intrusion suppression
- "Delta T" pneumatically controlled engine room ventilation dampers, integrated into fire suppression system
- Dual stage variable speed 110V AC fresh water system with on deck freshwater fill and cockpit dock supply inlet with pressure reducing valve
- Engine room entrance gauge package consisting of digital tachometer, engine water temperature, engine oil pressure and remote mounted engine start and stop switches for easier viewing and accessibility

## FLYING BRIDGE OPEN (continued)

- Manual engine shutdown switches at cabinet in console
- Moritz Octoplex touch screen control panel with audible and visible alarms: fire, engine room temperature, high bilge water, high exhaust temperature, and generator as well as confirming correct system operation
- Murray Products helm and companion seats, (3) teak, ladder back with 4" pedestals and removable cushions and covers, adjustable
- Nonskid deck for traction and durability
- Port and starboard cabinet at aft end of lounge seating
- Port, starboard and forward lounge seating with vinyl covered foam cushions, hinged for access to storage and rod storage under seats
- Power assist steering with steering junction block under helm for future stations/autopilot
- Recessed electronics box in console for custom electronics package that is easily viewable and protected from the elements by acrylic fitted lids with gaskets and stainless steel gas pistons
- Recessed radio boxes, large radio box on port and starboard side of console with switch panel inside
- Refrigerated top loading chill box at forward starboard corner for keeping drinks and snacks accessible from the bridge
- Refrigerated top loading freezer box forward
- Removable flybridge jumpseat backrests
- Stereo speakers, tied into stereo system in salon, flush-mounted to aft ends of bridge with volume control in radio box
- Trim tab control switch mounted at console
- Trumpet style air horns, (2)
- Under helm access with lights and storage room
- VHF radio with antenna and mounts – ICOM IC-M604
- Windshield, centerline venturi cutout to maximize visibility

## FLYING BRIDGE ENCLOSED (OPTIONAL)

- 12V stereo with CD player
- Air conditioning with reverse cycle heat, temperature control and dehumidification mode
- Baby ostrich headliner (gelato)
- Cabinetry and furniture manufactured of teak hardwoods and veneers with furniture finish
- Carpeting
- Central vacuum unit connection
- Cocktail table – teak, fixed pedestal mounted
- Companion seat, starboard L-shaped seating with footrests and drawers underneath
- Defoggers
- Fixed side and aft windows
- Forward control station with all necessary switches, lighted instruments, engine controls and power assist steering
- Hatch above helm chair
- Hatch in overhang with powder-coated ladder and access to hardtop
- Large under helm area for easy access and added storage
- L-shaped lounge on raised floor for better visibility and with storage underneath
- Molded fiberglass seat on aft deck with removable cushions and storage underneath

## SALON (continued)

- Upholstery and window treatments
- Valances custom teak
- Water tank level gauge and pump indicator located in galley

## GALLEY/DINETTE

- Companionway entrance located between galley and dinette
- Custom Amtico flooring
- Dinette table, teak with high-gloss finish with single pedestal, thru-bolted
- Electric range, 4-burner cook top, surface-mounted
- Exhaust fan, high velocity
- Galley counter top, custom granite, level 1
- Garbage disposal in sink
- Lights, overhead Xenon lights with dimmer and LED lighting
- Louvered mini blinds
- Majilite headliner, natural color, 1/8" foam & tricot backing
- Microwave/convection oven located in upper galley cabinet above sink –stainless finish
- Refrigerator and freezer, Sub-Zero, large capacity, deep-drawer under-counter style with varnished teak faces, (1) refrigerator unit and (1) freezer unit
- Sink, stainless steel recessed in counter top with satin nickel galley faucet
- Storage cabinets in upper galley, varnished teak doors with teak faced deep, pullout drawers with aircraft style slides for smooth movement and latches to keep drawers in place while underway
- Storage cabinets and drawers in lower galley, varnished teak doors and faces with stowage for utensils, and other items

## COMPANIONWAY

- Access to pantry forward of flat panel TV
- Awlgrip bilge areas with access hatches, snow white and lighted for easier maintenance and cleaning
- Carpeting, carpeted steps from galley to companionway
- Central vacuum unit connection with accessories
- Laundry center with stackable washer and dryer behind teak door
- Lighting, overhead Xenon lights recessed in headliner
- Linen storage locker with four shelves
- Majilite headliner, natural color, 1/8" foam & tricot backing
- Wall panels, natural color Majilite headliner individually installed with Velcro backing for easy maintenance

## MASTER STATEROOM (MIDSHIP)

- Air conditioning with reverse cycle heat with temperature control
- Applied bedspread and shams
- Carpeting
- Drawer storage under bed, (2) large drawers
- End tables at bed with drawer and door storage
- Entry credenza with drawer storage
- Hanging locker, teak doors, maple-lined to port







## 60' Convertible

### NOTES:

This specification sheet is subject to change.

- A** The right is reserved to make changes, without notice, at any time, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B** Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C** These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D** Weight shown is calculated with standard fuel and water tanks full.
- E** Prices available through Dealer.
- H** Includes credit for standard.
- J** Must be ordered 90 days prior to start date.
- K** Requires F/B hardtop.
- N** Includes life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil, deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), boat soap (1 qt.) and bilge cleaner (1 qt.)
- R** Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.
- S** In order to offer the full range of decor, selections are required with initial order.
- V** Includes 24V lighting and cockpit flood lighting.
- X** Measured with largest engines available, standard fuel, and water.
- Z** Available in 3 stateroom layout only.

## OPTIONAL EQUIPMENT (A) (C) (S)

**STANDARD POWER:** MAN V12 1550CRM:1550MHP

**SATIN INTERIOR FINISH THROUGHOUT** ..... N/C  
 \*Standard finish will be high-gloss, teak (J)

**FOUR STATEROOM LAYOUT** ..... 15,100

### COCKPIT

Additional Cablemaster on port side ..... 4,590  
 Livewell in cockpit sole ..... 1,930  
 Outriggers, Rupp w/spreaders ..... 9,200  
 Swim platform & ladder ..... 7,255  
 Transom custom lettering ..... POR  
 Transom std lettering ..... 1,120  
 Transom fish box molded-in ..... 3,960

### DECK/EXTERIOR

Bow pulpit removal ..... 3,475  
 Bow thruster DC ..... 21,100  
 Custom hull color ..... 13,350  
 Davit, (1,600 lbs.) w/hydraulic lift & rotation ..... 31,950  
 Davit, (1,600 lbs.) w/hydraulic lift & rotation with telescoping ..... 38,325  
 Fender racks 10" ..... 1,090  
 Salon forward window mask ..... 14,025  
 Windlass, Lewmar V4 SS w/50' chain, 250' rope ..... 8,555

### DECOR (S)

Custom decor (H) ..... POR  
 Decor accessory kit ..... 13,650  
 Decor galley accessory kit ..... 2,375  
 Granite surfaces in heads (J) ..... POR  
 Mirror ceiling in head, each ..... 3,060  
 Wallcovering, custom (J) ..... POR

**ENCLOSED FLYING BRIDGE** ..... 85,885

Center rigger (K) ..... 1,125  
 Radar mast - single (K) ..... 10,875  
 Radar mast - dual (K) ..... 14,240  
 Spiral staircase ..... 20,825  
 TV 19" color, flat screen ..... 1,665

### OPEN FLYING BRIDGE

4 Sided enclosure (K) ..... 13,990  
 (6) Rod rocket launcher (K) ..... 1,150  
 Air conditioning ..... 16,510  
 Center Rigger (K) ..... 1,125

Costa Clear upgrade for enclosure (K) ..... POR  
 Hardtop with molded in quartz lights (V) ..... 35,380  
 Lights, Remote spotlight ..... 2,015  
 Release Teak Helm Pod ..... 5,775

### GALLEY

Dishwasher (n/a with trash compactor or additional refrigerator) ..... 1,195  
 Trash compactor (n/a with dishwasher or refrigerator) ... 1,315  
 Undercounter refrigerator (additional) (n/a with dishwasher or trash compactor) ..... 4,975

### SALON

Carpet runner full ..... 2,130  
 Carpet runner partial ..... 955  
 Carpet runner - companionway and steps ..... 1,250  
 Upgraded BOSE LS48 entertainment system ..... 3,325

### MASTER STATEROOM

Electronic safe under bed ..... 2,710  
 Stereo/CD player (12V) ..... 895

### GUEST STATEROOM - FWD

Crossover stateroom arrangement w/upper credenza (Z) .... 6,695  
 Stereo/CD player, (12V) ..... 895  
 Telephone (additional outlet) each ..... 380

### GUEST STATEROOM - CREW/PORT GUESTROOM

Stereo/CD player (12V) ..... 895  
 Telephone (additional outlet) each ..... 380  
 Television (additional outlet) each ..... 515  
 TV, 19" color LCD flat screen ..... 1,665

### DELIVERY

Propellers, 5 blade, (spare with removal/installation tool) ..... 31,600

### ENGINE ROOM

Eskimo ice machine ..... NET 14,845  
 Fuel tank additional 300 gallons ..... 6,405  
 Generator, additional 21.5 kW w/ gas/water separator .... 27,010  
 Water maker, 1,400 GPD w/auto backflush ..... 19,715

### OPTIONAL POWER:


CAT C-32A 1825: 1825MHP ..... POR  
 CAT C-32A 1925: 1925MHP ..... POR  
 MAN V12 1800CRM:1800MHP ..... POR  
 MTU Series 2000 V16 M91:2030MHP ..... POR




## 60' Convertible

### VIKING YACHTS ONE YEAR LIMITED WARRANTY

Viking provides a 12 month limited warranty to the original purchaser. Certain restrictions apply. Ask your dealer for a copy.




**4 Stateroom**



**3 Stateroom with Optional Crossover Berths Forward**



**Enclosed Bridge**



**Open Bridge**

Route 9 "On the Bass River"  
P.O. Box 308  
New Gretna, NJ 08224

(609) 296-6000  
(609) 296-3956 Fax

[www.VikingYachts.com](http://www.VikingYachts.com)