



## 66' Convertible Specifications

		— YACHT COMPANY — NEW GRETNA, NEW JERSEY			
TITLE VIKING 66' CONVERTIBLE					
SCALE	N/A	CAD	ENG	DES	APP
DATE	8/11/2012	DWG No.			REV



## 66' Convertible

### Length, overall (L.O.A.)

66' 7" (20.3 meters)

### Length, overall (including bow pulpit)

70' 11" (21.6 meters)

### Length, waterline (L.W.L.)

61' 5" (18.70 meters)

### Beam, overall (B.O.A.)

19' 1" (5.8 meters)

### Deadrise (at transom)

11.4°

### Draft (X)

5' 5" (1.7 meters)

### Freeboard, forward (X)

8' 3" (2.50 meters)

### Freeboard, aft (X)

2' 11" (0.90 meters)

### Height, waterline to top of:

**flying bridge hardtop (X)**

18' 9" (5.70 meters)

**flying bridge hardtop  
masthead light (X)**

20' 11" (6.40 meters)

**flying bridge console (X)**

15' 10" (4.80 meters)

### Displacement (standard fuel load) (D)(X)

102,875 pounds (46,663 kilograms)

### Fuel capacity standard (B)

2,015 gallons (7,628 liters)

### Fuel capacity optional (B)

2,265 gallons (8,574 liters)

### Water capacity (B)

340 gallons (1,287 liters)

### Holding tank capacity (B)

211 gallons (799 liters)

### Cockpit area

174 square feet (16.2 square meters)

### CONSTRUCTION

- Ablative/Copolymer anti-fouling bottom paint (2 coats), using "Interlux Interprotected epoxy primer system"
- Awlgrip brass thru hulls and sea strainers in engine room and forward bilge
- Awlgrip engine room, lazarette, forward bilge and anchor locker for enhanced visibility and easier maintenance
- Blister resistant modified vinyl ester resin in entire hull skin
- Custom blended polyester resin used in structural laminates, topsides, bridges, and hardtops
- Dockside and overboard pump outs for holding tank
- Dupont high gloss polyurethane boot stripe
- Fiberglass side thru-hull
- Hatches, three (3) Bomar, fore-deck hatch with Ocean Air screen shade system
- High-gloss, teak interior finish throughout
- High performance isophthalic npg gelcoat for superior gloss, flexibility and outstanding weathering characteristics
- Hull interior isophthalic gelcoat top-coated with a durable high gloss polyurethane coating
- Hull bottom infused-end grain balsa core sandwich fiberglass laminate
- Infused fiberglass intermediate engine room bulkhead, fuel, freshwater and holding tanks with fiberglass baffles inside and balsa coring on sides for stiffness, sealed to hull with syntactic foam
- Laminated end-grain balsa core in hull sides and top sides
- Molded fiberglass salon floor/engine room ceiling with foam core for acoustical and thermal insulation
- Propeller pockets to reduce draft
- Solid reinforced keel
- Stringers, fiberglass encapsulated foam
- Vacuum bagged composite bulkheads – Main engine room bulkhead, and forward bulkhead

### MECHANICAL

- Air conditioning – direct expansion, zoned with reverse cycle heat for complete climate control throughout the interior and with individual controls for staterooms and salon
- Bilge pumps with Cleanout pumps in keel area linked into monitoring system and connected to float switches for automatic and manual operation
- Centralized seawater system
- "Delta T" engine room ventilation system with thermostatically controlled supply and discharge fans for proper fresh air circulation and water intrusion suppression
- "Delta T" pneumatically controlled engine room ventilation dampers, integrated into fire suppression system
- Engine room entrance gauge package consisting of gauges for digital tachometer, engine water temperature, and engine oil pressure, and remote mounted engine start and stop switches for easier viewing and accessibility
- External sea strainers for main engine pick-ups
- Fiberglass side thru-hulls
- Fire suppression system, automatically and manually operated and tied into main engine and generator ignition and ventilation systems with override
- Fresh water filter – paper
- Fresh water supply in engine room for general maintenance and cleaning
- Fuel priming pumps for main engines, electric

### FLYING BRIDGE OPEN (continued)

- Port and starboard cabinet at aft end of lounge seating
- Recessed electronics box in console for custom electronics package that is easily viewable and protected from the elements by acrylic fitted lid with gasket and stainless steel gas pistons
- Recessed radio boxes, large radio boxes on port and starboard sides of console with switch panel inside
- Refrigerated drink box forward starboard cabinet
- Removable flybridge bench seat backrest forward facing at aft ends of port and starboard bench seats
- Sink with spray head at forward end of flybridge
- Stereo speakers, tied into stereo system in salon, and flush-mounted to aft ends of bridge with remote control
- Trim tab control switch mounted at console
- Trumpet style air horns, (2)
- Under helm access with lights and storage room
- VHF radio with antenna and mounts – ICOM IC-M604

### FLYING BRIDGE ENCLOSED (OPTIONAL)

- Air conditioning with reverse cycle heat, temperature control and dehumidification mode
- Baby ostrich headliner (natural)
- Cabinetry and furniture manufactured of teak hardwood and veneers with furniture finish
- Carpeting
- Central vacuum unit connections with hose fittings
- Cocktail table – teak, fixed pedestal mounted
- Companion seats, port and starboard jump seats and drawers underneath starboard seat
- Defoggers for windshield
- Fixed side and aft windows
- Forward control station with all necessary control switches, lighted instruments, engine controls and VIPER steering
- Gauges/electronic displays supplied by engine manufacturer
- Hatch above helm chair
- Hatch in overhang with powder-coated ladder and access to hardtop
- Large under helm area for easy access and added storage
- L-shaped lounge on raised floor for better visibility and with storage underneath
- Molded fiberglass seat on aft deck with removable cushions and storage underneath
- Moritz Octoplex touch screen control monitor with audible and visible alarms: fire, engine room temperature, high bilge water, high exhaust temperature, generator and tank monitors as well as confirming correct system operation
- Overhead recessed LED lighting
- Pod-style aft docking station with surface mounted controls and engine start/stop switches, located at port side of flybridge overhang
- Powder-coated aluminum aft railing and flybridge ladder
- Quartz lights, molded-into aft overhang
- Raised, wrap-around helm console with black ultra-leather surfaces and visor to reduce glare and access to all electronics components
- Refrigerator with ice maker in place of refrigerated chill box
- Safety rail at entrance hatch to flybridge, powder-coated aluminum
- Steering wheel, vertical-mounted, destroyer type
- Stidd helm chair, black, adjustable with footrest
- Telephone outlet

### GALLEY/DINETTE (continued)

- Stools - (2) swivel type bar stools with backs on aft side of galley island
- Storage cabinets in upper galley, varnished teak doors with finished maple interior
- Storage cabinets and drawers in lower galley, varnished teak doors and faces with stowage for utensils, and other items; finished maple interior
- Storage above dinette
- Trash compactor in lower galley with teak face
- Water tank level gauge in pantry

### COMPANIONWAY

- Awlgrip bilge areas with access hatches, snow white and lighted for easier maintenance and cleaning
- Carpeting, carpeted steps from galley through companionway
- Central vacuum unit connection with accessories
- Laundry center with stackable, front-loading washer and dryer behind teak door
- Lighting, overhead LED lights recessed in headliner
- Staircase, curved or with banister along port companionway side
- Wall panels, natural color majilite headliner individually installed with velcro backing for easy maintenance

### MASTER STATEROOM (MIDSHIP)

- Air conditioning with reverse cycle heat that circulates from concealed registers behind the valances to maximize comfort while minimizing noise and drafts - individual temperature control
- Bedspread – quilted, designer style
- Carpeting
- Closets, forward, twin maple-lined hanging closets with teak doors
- Credenza with (4) drawers
- Decorative LED indirect rope lighting from underneath bed platform
- Drawer storage under bed, (2) large drawers, for forward and aft bank
- End tables each side of bed
- Entertainment center, FM/DVD surround system with subwoofer
- Headboard, upholstered
- King-size, walk-around bed with mattress, athwartship
- Lighting, overhead LED lights recessed in headliner with dimmer switches
- Majilite headliner, natural color, 1/8" foam and tricot backing
- Mattress, Handcraft, Innerspring System #3
- Pillow shams (2), with throw pillows
- Reading lights, overhead with separate switches
- Sheets (1 set), fitted with pillow cases
- Telephone outlet
- TV, 32" LCD flat screen with Bose 321 system

### GUEST STATEROOM (FORWARD)

- Air conditioning/heat with temperature control
- Bedspread – quilted, designer style
- Carpeting
- Decorative LED indirect rope lighting from underneath bed platform
- Hanging locker, teak, maple-lined with bar for hanging clothes
- Lighting, overhead LED lights recessed in headliner with dimmer switches
- Majilite headliner, natural color, 1/8" foam and tricot backing
- Pillow shams (2)







## 66' Convertible

### NOTES:

This specification sheet is subject to change.

- A** The right is reserved to make changes, without notice, at any time, in equipment, materials, prices and specifications. Line drawings and photos may show some optional equipment.
- B** Capacities of tanks are estimates and usable volume will vary depending upon conditions.
- C** These prices apply only if order is placed prior to boat going into production. Prices are for standard installation only. Custom work is extra cost.
- D** Weight shown is calculated with standard fuel and water tanks full.
- E** Prices available through Dealer.
- H** Includes credit for standard.
- J** Must be ordered 90 days prior to start date.
- K** Requires F/B hardtop.
- N** Includes life jackets (6 adult), life ring (21"), flare kit, fenders: 10" (2), engine oil, deck mop, deck brush, bucket, hose, nozzle, fuel filters: engines and generator, raw water pump impeller for main engine (1), boat soap (1 qt.) and bilge cleaner (1 qt.)
- R** Generator is not intended to supply power for all standard and optional accessories. Load must be limited to generator output rating.
- S** In order to offer the full range of decor, selections are required with initial order.
- V** Includes 24V lighting and cockpit flood lighting.
- X** Measured with largest engines available, standard fuel, and water.

## OPTIONAL EQUIPMENT (A) (C) (S)

**STANDARD POWER:** MAN V12 1550CRM:1550MHP

**SATIN INTERIOR FINISH THROUGHOUT (J)** ..... N/C

### COCKPIT

Air conditioning .....	22,240
Live well in cockpit sole .....	1,930
Swim platform & ladder .....	7,620
Transom custom lettering .....	POR
Transom STD lettering .....	1,420

### DECK/EXTERIOR

Bow pulpit removal .....	3,475
Bow thruster DC .....	21,100
Custom hull color .....	17,500
Davit, (1700lb), with hydraulic lift and rotation .....	42,400
Davit, (1700lb), with hydraulic, lift and rotation with telescoping .....	58,200
Fender racks 12" .....	1,610
Salon forward window mask .....	14,545
Windlass, Lewmar V4 SS w/ 50' chain, 250' rope .....	8,555

### DECOR (S)

Custom decor (H) .....	POR
Decor accessory kit .....	17,055
Decor galley accessory kit .....	2,375
Mirror ceiling in heads, each .....	3,060
Wallcovering, custom (J) .....	POR

### OPEN FLYING BRIDGE

Air conditioning .....	17,600
Release Teak Helm Pod .....	6,015

### ENCLOSED FLYING BRIDGE

(6) Rod rocket launcher (K) .....	1,150
Center rigger (K) .....	1,125
Lights, remote spotlight .....	2,015
Outriggers, Rupp w/ spreaders, bridge mounted .....	10,240
Radar mast - single (K) .....	10,875
Radar mast - dual (K) .....	14,240

### SALON

Carpet runner full .....	3,385
Carpet runner partial .....	2,150
Carpet runner - companionway and steps .....	2,160

### DAY HEAD

7,100

### MASTER STATEROOM

Additional 110V/telephone outlet .....	515
Electronic safe under bed .....	2,710

### GUEST STATEROOM - FWD

Crossover stateroom arrangement w/ upper cradle .....	6,695
Stereo/CD player, (12V) .....	895
Telephone (additional outlet) each .....	380

### GUEST STATEROOM - CREW/PORT GUESTROOM

Stereo/CD player (12V) .....	895
Telephone (additional outlet) each .....	380
Television (additional outlet) each .....	515
TV, 19" color LCD flat screen .....	1,665

### DELIVERY

Propellers, (spare with storage boxes and Prop Smith removal/installation tool) .....	42,100
---	--------

### ENGINE ROOM

Eskimo ice machine .....	NET 14,845
Fuel tank additional 250 gallons .....	7,135
Generator, additional 21.5 kW with gas/water separator .....	27,010
Underwater exhaust .....	5,080
Water maker, 1,400 GPD w/auto backflush .....	19,715

### OPTIONAL POWER:

CAT C32A 1925: 1925MHP .....	POR
MAN V12 1800CRM:1800MHP .....	POR
MTU Series 2000 V16 M91: 2030MHP .....	POR



## 66' Convertible

### VIKING YACHTS ONE YEAR LIMITED WARRANTY

Viking provides a 12 month limited warranty to the original purchaser. Certain restrictions apply. Ask your dealer for a copy.



**Enclosed Bridge Layout**  
Shown with optional day head



**Convertible Layout**  
Shown with optional day head



**Enclosed Bridge**



**Convertible Bridge**

Route 9 "On the Bass River"  
P.O. Box 308  
New Gretna, NJ 08224

(609) 296-6000  
(609) 296-3956 Fax

[www.VikingYachts.com](http://www.VikingYachts.com)