

*S*unseeker motoryachts  
introducing the Manhattan 53

*Fifty three*  
53



TRULY GLOBAL

# Sunseeker Manhattan 53 - Standard specifications

## PRINCIPAL FEATURES

Electric winch with bow roller, flybridge and cockpit controls  
Hot and cold swimming shower  
Sliding cockpit door to aft cockpit  
Flatscreen televisions in all cabins  
DVD Cinema sound system in saloon  
Radio/CD player with cockpit and flybridge speakers  
Electric refrigerator  
Electric freezer  
Ceramic hob  
Microwave  
Radar/Plotter  
Autopilot  
Electric speedlog  
Depth sounder  
VHF radio dual station  
Trim tabs  
Hydraulic steering  
Electric bow thruster  
Hot and cold water system  
Automatic fire extinguishers  
Automatic bilge pumps  
Generator  
AC shorepower/battery charger  
Teak bathing platform and steps  
Teak cockpit floor  
Fresh water marina connection  
Electric toilets with holding tank  
Antifouling

## 1 Construction

Hand-laid GRP  
Gel coat including stripes  
Vinylester skin coat with powderbound mat  
Stitched multi-axial reinforced single skin bottom  
Balsa cored hull topsides  
PVC foam cored deck and superstructure  
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

## 2 Deck

Fittings all in stainless steel  
8 x deck cleats in stainless steel  
Delta anchor and 60m chain (galvanised)  
Electric winch and capstan 24v with deck and helm controls 24v  
Stemhead roller and anchor stop  
Self draining chain locker-fender stowage  
Pulpit and cockpit rails in stainless steel  
Stainless steel fendering with rubber insert  
IMCO navigation lights  
2 x pantograph wipers 24v, windscreen washers  
Ensign staff and socket  
6 x fenders and 4 warps  
Remote spotlight 24v  
Curved safety glass windscreen

## 3 Bathing platform

Hydraulic fall and rise system  
Fresh water marina connection  
Dockside AC Shore power connection  
Hot and cold swimming shower  
Teak-laid bathing platform  
Foldaway stainless steel swimming ladder

## 4 Aft cockpit

Self draining  
Moulded staircase to flybridge  
Upholstered seating with stowage underneath  
Stem safety Gates  
Engine room access hatch  
Overhead lighting 24v  
Low level lighting 24v  
Teak-laid cockpit and steps  
Cockpit Speakers  
Boat hook  
Hand-held fire extinguisher

## 5 Flybridge helm position

Self draining  
Deflecting screen (acrylic)  
Hydraulic steering  
Two helm seats  
Sports steering wheel  
Duplicate engine controls and instrumentation  
Compass  
Trim tab control  
Echo sounder and speedlog repeater  
Autopilot and GPS navigator controls  
Instrument cover  
Upholstered seating group  
Storage below seats  
Folding cockpit table  
Sunbathing area forward  
Stainless steel guard rails and grab rails  
Glass holders  
Radio/CD remote control  
Cockpit Speakers

## 6 Saloon

Seating group  
Coffee table  
Drinks and storage cabinet  
Television on fall and rise system  
Radio/CD/DVD Cinema system with I-Pod dock  
CD/Radio/I-Pod for out side system  
Overhead lighting 24v  
Double AC socket  
Stainless steel sliding cockpit door to aft cockpit  
Fitted carpet  
Scatter cushions

## 7 Dining

Dining area with table  
Wine cooler  
Bar and glass cabinet  
Overhead lighting 24v  
Double AC socket

## 8 Main helm console

Two upholstered helm seat  
Console with burr walnut type fascia  
Hydraulic steering  
Sports steering wheel  
Radar/Plotter  
Autopilot  
VHF radio dual station  
Full analogue engine instrumentation  
Electric speedlog  
Depth sounder  
Rudder indicator  
Compass  
Horn  
Windscreen wipers and washers  
Trim tab controls  
Cigar lighter  
Glass holders  
Hand-held fire extinguisher  
Double AC socket

## 9 Galley

Sink and drainer  
Hot and cold water supply  
Electric refrigerator  
Electric freezer  
Ceramic 3- ring touch control hob  
Hob extractor fan  
Microwave Oven  
Rubbish bin  
6 place crockery set  
6 place cutlery set  
Cupboard and drawer storage  
Double AC socket x 2  
Overhead lighting 24v  
Opening porthole with mosquito screen  
Hand-held fire extinguisher  
First aid kit

## 10 Master aft cabin

Double berth with storage and drawers beneath  
Outboard cabinets  
Bedside cupboards  
Bedside table lamps  
Settee  
Hanging wardrobe with mirrored door  
Overhead lighting 24v  
Panoramic windows with large opening portholes  
Double AC socket x 2  
Television  
Fitted carpet

## 11 Master en suite shower room and toilet

Electric toilet  
Avonite counter top  
Shower taps and accessories  
Washbasin  
Hot and cold water  
Separate shower compartment  
Extractor fan  
Razor socket 240/110v  
Mirrored cupboard  
Towel rail  
Bath and hand towels  
Overhead lighting 24v  
Opening porthole with venetian blind  
Door to stateroom

## 12 Starboard guest cabin

Two single berths  
Two reading lights 24v  
Under-berth stowage  
Hanging wardrobe with mirrored door  
Overhead lighting 24v  
Opening porthole with mosquito screen and curtain  
Double AC socket  
Flatscreen television  
Fitted carpet

## 13 Forward VIP guest cabin

Double berth with storage and drawers beneath  
Two reading lights 24v  
Outboard lockers  
Hanging wardrobe with mirrored door  
Overhead lighting 24v  
Opening portholes and curtains  
Deck hatch  
Double AC socket  
Flatscreen television  
Fitted carpet

## 14 Starboard VIP shower and toilet / day head

Electric toilet  
Avonite counter top  
Shower taps and accessories  
Washbasin  
Hot and cold water  
Separate shower compartment  
Extractor fan  
Razor socket 240/110v  
Mirrored cupboard  
Towel rail  
Bath and hand towels  
Overhead lighting 24v  
Opening porthole with venetian blind

## 15 Engine compartment and ancillaries

Twin engines with direct drive gearboxes  
2 x separate fuel filters water separators  
Aluminium fuel tanks with electric sender units  
Freshwater engine top-up hose  
Sound insulation throughout engine room  
Automatic fire extinguisher  
Automatic bilge pumps  
Automatic flood pump with high level alarm  
Extractor fans 24v

## 16 Electrical system

Generator with underwater silent exhaust  
AC dockside connection  
Main DC and AC electrical circuits protected by re-settable circuit breakers  
Systems monitoring panel  
Galvanic isolator  
6 x batteries for engine starting 24v circuit  
4 x batteries for domestic power 24v circuit  
2 x batteries for generator starting 12v circuit  
Battery coupling system  
Battery switches controlled from locker in cockpit  
Alternator split charging system  
Battery charger for 24v circuits  
Battery charger for 12v circuits  
Water heater  
AC outlet sockets throughout the boat  
Electric bow thruster

## 17 Underwater gear

Direct shaft drive through half tunnels  
4-bladed NAB bronze propellers  
Bronze P-brackets  
2 x stainless steel shafts  
Dripless shaft logs  
High-performance bronze rudders  
Seawater strainers x 2 main engines / 1 x generator  
Seacocks on all underwater fittings  
Stainless steel trimtabs (hydraulic)  
Full cathodic bonding system to zinc anodes

## 18 Systems

Aluminium freshwater tank  
24v fresh water pressure system  
Hot water tank  
24v toilet system

## 19 Miscellaneous

Tool kit  
Boat hook  
4 x Mooring ropes  
6 x Fenders  
2 x towel sets

## Optional extras

Stern crew cabin (with single berth, toilet and washbasin)  
Washing machine  
Dishwasher  
Hydraulic Gangway  
Teak flybridge decking  
Stern thruster  
Hydraulic bow and stern thruster and joystick maneuvering system

## US Specification includes:-

Air-conditioning  
Upgraded generator  
US Specification appliances


# 53 *Fifty three*

## PRINCIPAL CHARACTERISTICS



Length overall – (incl. pulpit)	18.35 m	60' 2"
Length overall – (excl. pulpit and platform)	15.85 m	52' 0"
Length waterline – (@ half load)	13.60 m	44' 7"
Beam – (max.)	4.70 m	15' 5"
Maximum draft – (incl. props)	1.26 m	4' 2"
Displacement – (@ half load)	27400 kg	60389 lb
Fuel capacity	2200 Litres	580 US gals.
Fresh water capacity	625 Litres	165 US gals.
Propulsion	Twin prop	
Engine options	Up to 1600 PS (total)	
Fuel options	Diesel	
Generators – Standard	11kW @ 50Hz (Euro) 13.5kW @ 60Hz (USA)	
Maximum speed	up to 32 knots*	
Cruising speed	23 knots*	
Range	up to 250 miles*	

All principal characteristics and specifications are provisional and subject to final specification.

## LAYOUT OPTIONS



Flybridge



Main deck  
option

Main deck



Lower deck





TRULY GLOBAL

www.sunseeker.com

#### Awards

Sunseeker's success over the years is clearly underlined by the following list of national and international awards and achievements.

2010	European CEO Corporate Lifestyle Awards	Best Luxury Yacht Company	2004	Sydney Boat Show	Best Marina Display
2010	ShowBoats Design Awards	Predator 130 'Evil Zana' – Winner (Naval Architecture)	2003	Australian Marine Awards	Manhattan 56, Award for Excellence
2010	Quintessentially Awards	Yacht charter of the year	2003	Australian Marine Awards	Predator 68, Best Imported Non-Trailable Yacht
2010	Sydney Boat Show	Boating Industry Association of NSW – Best Marina Display	2002	Entrepreneur of the Year Award	Robert Braithwaite MBE
2010	Sydney Boat Show	Boating Industry Association of NSW – Best Overall Display	2001	Best Power Design Award	105 Yacht, The Superyacht Society
2010	Asia Boating Awards	Predator 60 – Best Production Motor Yacht 51 to 80 feet	2001	Best Power Interior Award	105 Yacht, The Superyacht Society
2009	Sydney Boat Show	Display of Excellence	2001	President's Award	Southern California Marine Association
2009	Croatia Boat Show	Predator 92 Sport – best in class	2000	Queen's Award for Enterprise	Continuous innovation and development
2009	Croatia Boat Show	30 Metre Yacht – best in class	2000	The Times Exporter of the Year	Times Export Awards
2009	Croatia Boat Show	Best boat show stand	2000	Robb Report Award	Best of the Best, Boating and Sailing
2008	UK Motor Boat of the Year Awards	Manhattan 60	1999	Robb Report Award	Best of the Best, Boating and Sailing
2007	European Powerboat of the Year	Superhawk 43	1999	Motorboat of the Year	Predator 75, BT British Nautical Awards
2007	Asia Pacific Boating Awards	90 Yacht, Best of the Best	1998	Superyacht Design Award	Manhattan 74, Superyacht Design Awards
2007	Modern Boating Magazine	Portofino 47, Imported Powerboat of the Year	1998	Editor in Chief Awards	Yachts Magazine
2007	Australian Marine Industries Federation Awards	Predator 62, Imported Powerboat of the Year	1997	Lifetime Achievement Award	Robert Braithwaite MBE, RYA Awards
2007	Nominated by The Superyacht Society	37 Metre Yacht 'The Snapper'	1996	Motorcruiser of the Year Award	RYA British Nautical Awards
2007	Queen's Award for Enterprise	International Trade	1996	Exporter of the Year Award	DCCI Export Awards
2006	Nominated for three Superyacht Awards	Predator 108 'SHIVER'	1995	Boat Builder of the Year Award	RYA/BMIF British Nautical Awards
2005	Australian Marine Industries Federation Awards	75 Yacht, Non-Trailable Boat Award	1994	Queen's Award for Export Achievement	Queen's Awards for Industry
2005	Australian Marine Industries Federation Awards	Portofino 46, Commendation	1992	Best in the World Award	Renegade 60, Boating Magazine
2005	Modern Boating, Power Boat of the Year Awards	Predator 68, Imported Powerboat of the Year	1990	Exporter of the Year	SW International Business Awards
2005	Boats.com Marine Industry Web Awards	Manufacturers Category for www.sunseeker.com	1989	Queen's Award for Export Achievement	Queen's Awards for Industry
2004	Sydney Boat Show	Best Overall Display	1987	Queen's Award for Export Achievement	Queen's Awards for Industry



Sunseeker International Limited has CE Approval which is compulsory for all boats with a LOA of 24m and below when sold in the EU.

\*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained in this brochure are provisional only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however by contacting us we can advise you of models that are likely to be available in each territory. In some examples herein we have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker distributor. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker distributor. Distributors are independently owned and operated entities, and therefore Sunseeker distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.